



Trade name	Type	Jotun Tank Coatings						
		Tankguard CPC	Tankguard HB	Tankguard HB Classic	Tankguard Special	Tankguard Special Ultra	Tankguard Flexline	Tankguard Zinc
FUEL ADDITIVES								
ACT-4803	Cetane improver	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
ACT-802	Lubricity additive	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
AO-5-180 (SANTOFLEX 44PD)	Antioxidant	100 ppm	100 ppm	100 ppm	100 ppm	100 ppm	100 ppm	100 ppm
AW50	Metal Deactivator	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
CCI-1000	Cetane improver	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
CEPRO100	Cetane improver	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
CFT-23114lh2	unknown	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
CFT-23114kh1	unknown	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
CP7134L	Milde distillate additive	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
CP7225	unknown	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
CP730DL	unknown	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
CN-5	Cetane improver	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
DBM IMPROVER AO 217	Antioxidant	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
DBM IMPROVER C250	Cetane improver	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
DBM IMPROVER F141W	unknown	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
DBM IMPROVER MD50	Metal Deactivator	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
DCI-4A	Corrosion Inhibitor	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
Donk410C	unknown	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
Dorf 410C	Antioxidant	100 ppm	100 ppm	100 ppm	100 ppm	100 ppm	100 ppm	100 ppm
EC5353	Heavy fuel flow improver	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
EC-5580/A	Conductivity improver	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
EC-5719/A	Lubricity additive	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
ESDA1513	Lubricity additive	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
Fuel-U6	Cold flow improver	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
Fuel U6 OFI-7260D60	Cold flow improver	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
HFA2039	Octane improver	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
HFA-2062	Metal Deactivator	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
HFA2072	Octane improver	100 ppm	100 ppm	100 ppm	100 ppm	100 ppm	100 ppm	100 ppm
HFA2077	Octane improver	100 ppm	100 ppm	100 ppm	100 ppm	100 ppm	100 ppm	100 ppm
HFA3033	Cetane improver	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
HFA-4076	CFPP improver	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
HFA-4101	CFPP improver	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
HFA-4159	CFPP improver	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
HFA-6115	Mercaptan scavenger	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
HFA-6126	Mercaptan scavenger	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
HFA-6134	Mercaptan scavenger	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
HFA-7025	Lubricity additive	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
HFA-8022	Antioxidant	100 ppm	100 ppm	100 ppm	100 ppm	100 ppm	100 ppm	100 ppm
HFA-8055	Antioxidant	100 ppm	100 ppm	100 ppm	100 ppm	100 ppm	100 ppm	100 ppm
HFA-8094	Corrosion Inhibitor	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
HFA-8098	Corrosion Inhibitor	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
HITEC3062	Octane improver	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
HITEC4103	Diesel ignition improver	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
HITEC4140	Lubricity additive	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
HITEC4140A	Lubricity additive	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
HITEC4159	CFPP improver	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
HITEC4156	Lubricity additive	500 ppm	500 ppm	500 ppm	500 ppm	500 ppm	500 ppm	500 ppm
HITEC4598	Fuel additive	1.00%	1.00%	1.00%	1.00%	1.00%	1.00%	1.00%
HITEC6421	Gasoline Detergent Additive	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
HITEC6455	Fuel additive	500 ppm	500 ppm	500 ppm	500 ppm	500 ppm	500 ppm	500 ppm
HITEC6530P	Gasoline Performance Additive	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
HITEC6560	Fuel additive	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%



Trade name	Type	Jotun Tank Coatings						
		Tankguard CPC	Tankguard HB	Tankguard HB Classic	Tankguard Special	Tankguard Special Ultra	Tankguard Flexline	Tankguard Zinc
HITEC6590C	Fuel additive	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
HITEC6592	Fuel additive	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
HITEC 6730 LT	Fuel additive	500 ppm	500 ppm	500 ppm	500 ppm	500 ppm	500 ppm	500 ppm
Hydradd L1000	Diesel fuel additive	500 ppm	500 ppm	500 ppm	500 ppm	500 ppm	500 ppm	500 ppm
Hydradd C1000	Cetane improver	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
IMP-DG-15	Fuel additive	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
Infineum R222	Fuel additive	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
Infineum R388	Petroleum additive	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
Infineum R650	Fuel additive	500 ppm	500 ppm	500 ppm	500 ppm	500 ppm	500 ppm	500 ppm
Infineum R655	Lubricity additive	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
Infineum R671	Petroleum additive	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
Infineum R770	Petroleum additive	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
Jossad 500	Antioxidant	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
JS1562	Octane improver	100 ppm	100 ppm	100 ppm	100 ppm	100 ppm	100 ppm	100 ppm
KEROKORR LA99C	Lubricity additive	500 ppm	500 ppm	500 ppm	500 ppm	500 ppm	500 ppm	500 ppm
LI-1	Lubricity additive	500 ppm	500 ppm	500 ppm	500 ppm	500 ppm	500 ppm	500 ppm
LI-3	Lubricity additive	500 ppm	500 ppm	500 ppm	500 ppm	500 ppm	500 ppm	500 ppm
LUBRIZOL 6662A	Viscosity modifier	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
MDA-97	Metal Deactivator	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
MMT-62	Octane improver	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
Nalco ECS711A	Fuel additive	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
Octaburn™ 8062	Octane improver	100 ppm	100 ppm	100 ppm	100 ppm	100 ppm	100 ppm	100 ppm
OEX O88162	unknown	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
OLI-9000M	Fuel additive	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
OLI-9950	unknown	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
PC32	Lubricity additive	500 ppm	500 ppm	500 ppm	500 ppm	500 ppm	500 ppm	500 ppm
PCE5414	Cetane improver	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
PCE-6110	Lubricity additive	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
PCE9520	Cetane improver	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
PCE4875	Flow improver	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
PFA1000	Flow improver	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
PFR1347(CI-0801)	Cetane improver	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
PS 32	Diesel fuel additive	500 ppm	500 ppm	500 ppm	500 ppm	500 ppm	500 ppm	500 ppm
PX3402	Octane improver	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
PX3462	Octane improver	100 ppm	100 ppm	100 ppm	100 ppm	100 ppm	100 ppm	100 ppm
RV-100	Cetane improver	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
SF6000	Octane improver	100 ppm	100 ppm	100 ppm	100 ppm	100 ppm	100 ppm	100 ppm
SGS MJ-62	Octane improver	100 ppm	100 ppm	100 ppm	100 ppm	100 ppm	100 ppm	100 ppm
SR1546	Antioxidant	100 ppm	100 ppm	100 ppm	100 ppm	100 ppm	100 ppm	100 ppm
SR1690	Cold flow improver	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
SR1651	Cold flow improver	500 ppm	500 ppm	500 ppm	500 ppm	500 ppm	500 ppm	500 ppm
SR1677	Cold flow improver	500 ppm	500 ppm	500 ppm	500 ppm	500 ppm	500 ppm	500 ppm
SR1795	Antistatic additive	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
SR2008	Diesel fuel additive	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
SR2010	Lubricity additive	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
SR1954	H2S Scavenger	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
STADIS425	Antistatic additive	10 ppm	10 ppm	10 ppm	10 ppm	10 ppm	10 ppm	10 ppm
STADIS450	Antistatic additive	10 ppm	10 ppm	10 ppm	10 ppm	10 ppm	10 ppm	10 ppm
STADISR450	Antistatic additive	10 ppm	10 ppm	10 ppm	10 ppm	10 ppm	10 ppm	10 ppm
SULFA CHECK EC9805A	H2S Scavenger	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
SX9272M(SULFIX9272M)	H2S Scavenger	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
T249K	Fuel additive	100 ppm	100 ppm	100 ppm	100 ppm	100 ppm	100 ppm	100 ppm
TOLAD249	Fuel additive	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%



Trade name	Type	Jotun Tank Coatings						
		Tankguard CPC	Tankguard HB	Tankguard HB Classic	Tankguard Special	Tankguard Special Ultra	Tankguard Flexline	Tankguard Zinc
TOLAD3514	Conductivity improver	10 ppm	10 ppm	10 ppm	10 ppm	10 ppm	10 ppm	10 ppm
TOLAD3701	Cetane improver	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
TOLAD3918	Antioxidant	0.50%	0.50%	0.50%	0.50%	0.50%	0.50%	0.50%
TOALD9125	Lubricity additive	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
TOLAD9165HF	Lubricity additive	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
TOLAD9715	Corrosion Inhibitor	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
TOLAD9719	Corrosion Inhibitor	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
WGCFPPn150	CFPP improver	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
WGCFPPn250	CFPP improver	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
FUEL DYES								
CHEMADYE GREEN IB	Dye	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
CHEMADYE RED 164	Dye	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
CHEMADYE BLUE 98	Dye	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
Dorf Solvent yellow M	Dye	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
Dorf solvent Blue B	Dye ?	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
DYEGUARD RED G	Dye	20 ppm	20 ppm	20 ppm	20 ppm	20 ppm	20 ppm	20 ppm
DYEGUARD PURPLE RS	Dye	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
DYEGUARD YELLOW 56	Dye	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
DYEGUARD YELLOW HF	Dye	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
DYEGUARD YELLOW R	Dye	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
DYEGUARD YELLOW O	Dye	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
DYEGUARD ORANGE 2	Dye	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
HFA-84	Dye	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
HFA 95	Dye	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
Liquid Orange R-30	Dye	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
MARKER BB210	Dye	100 ppm	100 ppm	100 ppm	100 ppm	100 ppm	100 ppm	100 ppm
Maxol blue 3XA	Dye	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
Maxol yellow-4X	Dye	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
Maxol red-5X	Dye	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
Oil Yellow M Liquid	Dye	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
Optimise G2003	Dye	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
Red Dye (Petrot Chem)	Dye	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
RRL (Petroleum liquid red dye)	Dye	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
RGL 252 Liquid	Dye	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
Solvent yellow 107	Dye	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
Unisol Liquid Orange DR	Dye	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
Unisol Liquid Orange DRHF	Dye	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
Unisol Liquid Purple BR	Dye	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
Unisol Liquid RED BHF	Dye	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
OMM Green 100	Dye	NR	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
OMM Red 519	Dye	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%	0.10%
tert-Butylhydroquinone	Antioxidant	100ppm	100ppm	100ppm	100ppm	100ppm	100ppm	100ppm

NB! Some additives can cause discoloration of the coating. Whatever the cause of discoloration by adsorption, the chemical resistance of the coating is usually not affected. However, adsorbed discoloration may cause cleaning problems, and may present a contamination threat depending on subsequent cargoes. **JOTUN will not be held responsible for the consequences of discoloration caused by cargo additives.**